

Safety Data Sheet

1. Identification	
Product Information.	102469
Product Name:	ODORx Crystal Odor Counteractant Commercial Cherry
Recommended Use.	Professional Deodorizer
Uses advised against.	Professional Use Only
Supplier.	Legend Brands ProRestore Products 15180 Josh Wilson Road Burlington, WA 98233 E-Mail: sds@legendbrands.com 800-932-3030 Legend Brands 4520 Eastgate Parkway Mississauga, ON L4W 3W6 800-932-3030
Emergency telephone number.	INFOTRAC 1-800-535-5053 (North America) +1-352-323-3500 (International)

2. Hazards Identification

GHS Classification in accordance with 29 CFR 1910.1200

Carcinogenicity, category 1A Germ Cell Mutagenicity, category 1B Skin Irritation, category 2

GHS Pictograms



Signal Word Danger

Unknown Acute Toxicity < 0.1% of the mixture consists of ingredient(s) of unknown acute toxicity

HAZARD STATEMENTS

Causes skin irritation. May cause genetic defects. May cause cancer.

Precautionary Statements - Prevention.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Wash face and hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response.

If on skin: Wash with plenty of water.

If exposed or concerned: Get medical advice/attention. Specific treatment (If applicable, see label for any additional instructions). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Precautionary Statements - Storage.

Store locked up.

Precautionary Statements - Disposal.

Dispose of contents in accordance with local/regional/national/international regulations.

3. Composition/Information on Ingredients

Chemical Name	CAS-No.	<u>Wt. %</u>
BENTONITE	1302-78-9	50-75
Amorphous Silica	7631-86-9	10-25
Distillates, petroleum, hydrotreated light	64742-47-8	2.5-10
Aluminum Oxide	1344-28-1	2.5-10
Iron oxide	1309-37-1	2.5-10
BENZALDEHYDE	100-52-7	2.5-10
CALCIUM OXIDE/LIME	1305-78-8	2.5-10
Crystalline silica (Quartz) (Respirable)	14808-60-7	2.5-10
AMYL ACETATE	628-63-7	1.0-2.5
Potassium oxide	12136-45-7	0.1-1.0
Titanium dioxide	13463-67-7	0.1-1.0
Naphtha, petroleum, hydrotreated heavy	64742-48-9	0.1-1.0

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid Measures

Description of first-aid measures.

General advice.

Call a physician if irritation develops or persists. When symptoms persist or in all cases of doubt seek medical advice.

Inhalation.

Move to fresh air.

Skin contact.

Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes.

Eye contact.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove contact lenses, if present.

Ingestion.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Gently wipe or rinse the inside of the mouth with water.

Symptoms.

See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

Notes to physician.

Treat symptomatically.

5. Fire-fighting Measures

Extinguishing media.

Suitable extinguishing media.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which shall not be used for safety reasons.

High volume water jet.

Special hazards arising from the substance or mixture.

No information available.

Advice for firefighters.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures.

Personal precautions.

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. Do not breathe vapors or spray mist.

Advice for emergency responders.

Use personal protection recommended in Section 8.

Environmental precautions.

Prevent product from entering drains. See Section 12 for additional Ecological information.

Methods and materials for containment and cleaning up.

Methods for Containment.

Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers.

Methods for cleaning up.

Use personal protective equipment as required.

Reference to other sections.

See section 8 for more information.

7. Handling and Storage

Conditions for safe storage, including any incompatibilities.

Advice on safe handling.

Handle in accordance with good industrial hygiene and safety practice.

Hygiene measures.

See section 7 for more information.

Storage Conditions.

Keep containers tightly closed in a cool, well-ventilated place.

8. Exposure Controls/Personal Protection

Ingredients with Occupational Exposure Limits

<u>Chemical Name</u>	ACGIH TLV-TWA	ACGIH-TLV STEL	<u>OSHA PEL-TWA</u>	OSHA PEL-CEILING
Aluminum Oxide	N.E.	N.E.	15 mg/m ³	N.E.
Iron oxide CALCIUM OXIDE/LIME	5 mg/m ³ 2 mg/m ³	N.E. N.E.	10 mg/m ³ 5 mg/m ³	N.E. N.E.
Crystalline silica (Quartz) (Respirable)	0.025 mg/m ³	N.E.	50 µg/m ³	N.E.
AMYL ACETATE Titanium dioxide	50 ppm 0.2 mg/m ³	100 ppm N.E.	100 ppm 15 mg/m ³	N.E. N.E.

TLV = Threshold Limit Value TWA = Time Weighted Average PEL = Permissible Exposure Limit STEL = Short-Term Exposure Limit N.E. = Not Established

Engineering Measures.

Showers, eyewash stations, and ventilation systems.

Personal protective equipment.

Eye/Face Protection.

Safety glasses with side-shields.

Skin and body protection.

Wear suitable protective clothing.

Respiratory protection.

In case of insufficient ventilation wear suitable respiratory equipment.

9. Physical and chemical properties.

Information on basic physical and chemical properties.

Physical state	Powder
Appearance	Crystalline
Color	Black and beige
Odor	Cherry
Odor Threshold	No Information
рН	Not applicable
Melting/freezing point., °C (°F)	No Information
Flash Point., °C (°F)	38 (100.40)
Boiling point/boiling range., °C (°F)	No Information
Evaporation rate	No Information Available
Explosive properties.	No Information
Vapor pressure.	No Information
Vapor density.	No Information
Specific Gravity. (g/cm ³)	0.688
Water solubility.	No Information
Partition coefficient.	No Information
Autoignition temperature.,°C	No Information
Decomposition Temperature °C.	No Information
Viscosity, kinematic.	No Information
Other information.	
Volatile organic compounds (VOC) content.	8%
Density, Ib/gal	5.726

10. Stability and Reactivity

Reactivity.

Stable under normal conditions.

Chemical stability.

Stable under recommended storage conditions.

Possibility of hazardous reactions.

None known based on information supplied.

Conditions to Avoid.

None known.

Incompatible Materials.

None known based on information supplied.

Hazardous Decomposition Products.

None known.

11. Toxicological Information

	n toxicological eff	<u>ects.</u>			
Acute toxicity Product Infor					
	nauon				
LD50 Oral	. //. ~	LD50 Dermal	LC50 Inhalatio	on (Vapor)	
3,121.00 mg	-	9,232.00 mg/kg	2,233.02 mg/l		
Component Ir	nformation.				
CAS-No.	Chemical Name		LD50 Oral	LD50 Dermal	LC50 Inhalation
1302-78-9	BENTONITE		N.I.	0	20 (Vapor)
7631-86-9	Amorphous Silica		7900 mg/kg Rat	>5000 mg/kg Rabbit	N.I.
1344-28-1	Aluminum Oxide		>5000 mg/kg Rat	N.I.	N.I.
100-52-7	BENZALDEHYDE		1292 mg/kg Rat	>1250 mg/kg Rabbit	N.I.
1305-78-8	CALCIUM OXIDE	/LIME	500 mg/kg Rat	N.I.	N.I.
628-63-7	AMYL ACETATE		6500 mg/kg Rat	N.I.	N.I.
64742-48-9	Naphtha, petroleu	m, hydrotreated heavy	>6000 mg/kg Rat	>5000 mg/kg Rabbit	N.I.
N.I. = No Infor	mation				
Skin corrosion SKIN IRRITA					
Eve damage/					
No Informati					
Respiratory o	r skin sensitization				
No Informati		_			
Ingestion.					
No Informati	on				
Germ cell mu	tagenicity.				
No Informati	on				
Carcinogenic	<u>ity.</u>				
No Informati	on				
CAS-No.	Chemical Nam	e	IARC	<u>NTP</u>	<u>OSHA</u>
7631-86-9	Amorphous Silic		IARC Group 3	-	_
1309-37-1	Iron oxide		IARC Group 3	-	-
14808-60-7	Crystalline silica	(Quartz) (Respirable)	IARC Group 1	NTP Known	-
		· / · · /		Human	
13463-67-7	Titanium dioxide)	IARC Group 2B	Carcinogen -	-
Reproductive	toxicity.				
No Informati	on				
		oxicity (single exposure).			
No Informati			、 、		
Specific targe No Information		oxicity (repeated exposure	<u>ə).</u>		
Aspiration has No Information					
Primary Rout	-				
No Informati					

No Information

12. Ecological Information

Toxicity.

9.46% of the mixture consists of ingredient(s) of unknown aquatic toxicity Ecotoxicity effects.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
BENTONITE 1302-78-9	-	LC50 96 h Oncorhynchus mykiss 19000 mg/L	
Amorphous Silica 7631-86-9	EC50 72 h Pseudokirchneriella subcapitata 440 mg/L	LC50 96 h Brachydanio rerio 5000 mg/L	EC50 48 h Ceriodaphnia dubia 7600 mg/L
Distillates, petroleum, hydrotreated light 64742-47-8	-	LC50 96 h Pimephales promelas 45 mg/L, LC50 96 h Lepomis macrochirus 2.2 mg/L, LC50 96 h Oncorhynchus mykiss 2.4 mg/L	
Iron oxide 1309-37-1	-	LC50 96 h Danio rerio 100000 mg/L	-
BENZALDEHYDE 100-52-7	-	LC50 96 h Oncorhynchus mykiss 10.6 - 11.8 mg/L, LC50 96 h Oncorhynchus mykiss 12.69 mg/ L, LC50 96 h Lepomis macrochirus 0.8 - 1.44 mg/L, LC50 96 h Pimephales promelas 6.8 - 8.53 mg/L, LC50 96 h Lepomis macrochirus 7.5 mg/L	-
CALCIUM OXIDE/LIME 1305-78-8	-	LC50 96 h Cyprinus carpio 1070 mg/L	-
AMYL ACETATE 628-63-7	-	LC50 96 h Lepomis macrochirus 650 mg/L	-
Naphtha, petroleum, hydrotreated heavy 64742-48-9	-	LC50 96 h Pimephales promelas 2200 mg/L	-

Persistence and degradability.

No data are available on the product itself.

Bioaccumulative potential.

Discharge into the environment must be avoided.

Chemical Name

BENZALDEHYDE

CAS-No.

100-52-7

Mobility in soil.

No information

Other adverse effects.

No information

13. Disposal Considerations

Waste Disposal Guidance.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOT

Shipping Name: not regulated

IMDG

Proper Shipping Name: not regulated

<u>IATA</u>

Proper Shipping Name: not recommended for air transport

log POW

14

15. Regulatory Information

International Inventories:

TSCA	Complies
DSL	-
DSL/NDSL	-
EINECS/ELINCS	-
ENCS	-
IECSC	-
KECI	-
PICCS	-
AIIC	-
NZIoC	-
TCSI	
TSCA	United States Toxic Substances Control Act Section 8(b) Inventory.
DSL	Canadian Domestic Substances List.
DSL/NDSL	Canadian Domestic Substances List/Canadian Non-Domestic Substances List
EINECS/ELINCS	European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.
ENCS	Japan Existing and New Chemical Substances.
IECSC	China Inventory of Existing Chemical Substances.
KECL	Korean Existing and Evaluated Chemical Substances.
PICCS	Philippines Inventory of Chemicals and Chemical Substances.
AIIC	Australian Inventory of Chemical Substances.
NZIoC	New Zealand Inventory of Chemicals.
TCSI	Taiwan Chemical Substance Inventory

U.S. Federal Regulations:

SARA SECTION 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372: .

Chemical Name	CAS-No.	Weight Percent
Aluminum Oxide	1344-28-1	2.5-10

TOXIC SUBSTANCES CONTROL ACT 12(b):

This product does not contain any chemicals that are subject to the reporting requirements of TSCA 12(b).

ADDITIONAL INFORMATION

Additional Information - Sxn 15: No Information

CALIFORNIA PROPOSITION 65 CARCINOGENS



Warning: The following ingredients present in the product are known to the state of California to cause Cancer:.

<u>Chemical Name</u>	<u>CAS-No.</u>
Crystalline silica (Quartz) (Respirable)	14808-60-7
Titanium dioxide	13463-67-7
Cadmium	7440-43-9
Beryllium	7440-41-7

CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS

Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards.

Chemical	Name
Cadmium	

<u>CAS-No.</u> 7440-43-9

NOTICE

Constituents of this product may include crystalline silica which, if inhalable, may cause silicosis, a form of progressive pulmonary fibrosis. Inhalable crystalline silica is listed by IARC as a group I carcinogen (lung) based on sufficient evidence in occupationally exposed humans and sufficient evidence in animals. Crystalline silica is also listed by the NTP as a known human carcinogen. Constituents may also contain asbestiform or non-asbestiform tremolite or other silicates as impurities, and above de minimis exposure to these impurities in inhalable form may be carcinogenic or cause other serious lung problems.

Revision D	ate:	10/17/202	22		5	Supersedes Date:	9/19/2022
Reason for	revision:	01 - Proc 02 - Haz 03 - Com 12 - Ecol 14 - Tran	luct Inform ards Identi position/Ir ogical Info sportation	fication nformation on Ingredients		tion(s):	
Datasheet	produced by:	Regulator	y Departm	nent			
HMIS Rati	ngs:						
	3	Flammability:	0	Physical Hazard:	0	Personal Protection:	Х

NFPA Ratings:

ealth: 3 Flammability: 0	Instability: 0	Physical & Chemical:	-
--------------------------	----------------	----------------------	---

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.